

QuantiGene® 2.0 Bibliography 2011-2014

2014

1. Berhanu T. K., *et al.* Increased AMP-activated protein kinase in skeletal muscles of Murphy Roth Large mice and its potential role in altered metabolism. *Physiological Reports* **2**(3) (2014).
2. Bowling A. J., Pence H. E. and Church J. B. Application of a Novel and Automated Branched DNA in Situ Hybridization Method for the Rapid and Sensitive Localization of mRNA Molecules in Plant Tissues. *Applications in Plant Sciences* **2**(4):1400011 (2014).
3. Dong Y., *et al.* Lipid-Like Nanomaterials for Simultaneous Gene Expression and Silencing In Vivo. *Adv Healthc Mater* (2014).
4. Dubelman S., *et al.* Environmental Fate of Double-Stranded RNA in Agricultural Soils. *PLoS ONE* **9**(3):e93155 (2014).
5. Rice E. A., *et al.* Expression of a Truncated ATHB17 Protein in Maize Increases Ear Weight at Silking. *PLoS ONE* **9**(4):e94238 (2014).
6. Sandoz K. M., *et al.* Developmental transitions of *Coxiella burnetii* grown in axenic media. *J Microbiol Methods* **96**:104-10 (2014).
7. Sinnamon J. R. and Czaplinski K. RNA detection in situ with FISH-STICs. *RNA* **20**(2):260-6 (2014).
8. Takeuchi K., *et al.* EGF-Like-Domain-7 Is Required for VEGF-Induced Akt/ERK Activation and Vascular Tube Formation in an Ex Vivo Angiogenesis Assay. *PLoS ONE* **9**(3):e91849 (2014).
9. Voss C., *et al.* A novel, non-radioactive eukaryotic in vitro transcription assay for sensitive quantification of RNA polymerase II activity. *BCM Mol Biol* **15**(1):7 (2014).
10. Xue L., *et al.* Prostaglandin D2 activates group 2 innate lymphoid cells through chemoattractant receptor-homologous molecule expressed on TH2 cells *J Allergy Clin Immunol* (2014).
11. Zhang Y., *et al.* Effect of various antibiotics on modulation of intestinal microbiota and bile acid profile in mice. *Toxicol Appl Pharmacol* (2014).

2013

1. Boess F., *et al.* Effect of GLP-1R agonists taspoglutide and liraglutide on primary thyroid C-cells. *J Mol Endocrinol* (2013).
2. Bonnet M. E., *et al.* Systemic delivery of sticky siRNAs targeting the cell cycle for lung tumor metastasis inhibition. *J Control Release* (2013).
3. Chapuis J., *et al.* Increased expression of BIN1 mediates Alzheimer genetic risk by modulating tau pathology. *Mol Psychiatry* (2013).
4. Chen K., *et al.* Value of circulating cell-free DNA in diagnosis of hepatocellular carcinoma. *World J Gastroenterol* **19**(20):3143-9 (2013).

QuantiGene® 2.0 Bibliography 2011-2014

5. Cheng Z., et al. A novel, sensitive assay for high-throughput molecular detection of plasmodia for active screening of malaria for elimination. *J Clin Microbiol* **51**(1):125-30 (2013).
6. Crevecoeur J., et al. Expression pattern of synaptic vesicle protein 2 (SV2) isoforms in patients with temporal lobe epilepsy and hippocampal sclerosis. *Neuropathol Appl Neurobiol* (2013).
7. Erba H. P., et al. Safety and pharmacokinetics of the antisense oligonucleotide (ASO) LY2181308 as a single-agent or in combination with idarubicin and cytarabine in patients with refractory or relapsed acute myeloid leukemia (AML). *Invest New Drugs* (2013).
8. Esposito G., et al. Palmitoylethanolamide improves colon inflammation through an enteric glia/toll like receptor 4-dependent PPAR-alpha activation. *Gut* (2013).
9. Hazalin N. A., et al. Apoptosis induced by desmethyl-lasiiodiplodin is associated with upregulation of apoptotic genes and downregulation of monocyte chemotactic protein-3. *Anti-Cancer Drugs* (2013).
10. Keding V., et al. Sticky siRNAs targeting survivin and cyclin B1 exert an antitumoral effect on melanoma subcutaneous xenografts and lung metastases. *BMC Cancer* **13**(338 (2013)).
11. Kovacs T., Kelemen O. and Keri S. Decreased fragile X mental retardation protein (FMRP) is associated with lower IQ and earlier illness onset in patients with schizophrenia. *Psychiatry Res* (2013).
12. Liu H., et al. Association study of TOLL and CARD with leprosy susceptibility in Chinese population. *Hum Mol Genet* (2013).
13. Lutter E. I., et al. Chlamydia trachomatis Inclusion Membrane Protein CT228 Recruits Elements of the Myosin Phosphatase Pathway to Regulate Release Mechanisms. *Cell Rep* (2013).
14. Maier M. A., et al. Biodegradable Lipids Enabling Rapidly Eliminated Lipid Nanoparticles for Systemic Delivery of RNAi Therapeutics. *Mol Ther* (2013).
15. Mazzuferi M., et al. Nrf2 defense pathway: Experimental evidence for its protective role in epilepsy. *Ann Neurol* (2013).
16. Mercken E. M., et al. Calorie restriction in humans inhibits the PI3K/AKT pathway and induces a younger transcription profile. *Aging Cell* (2013).
17. Miura D., Iwatani T. and Kawabata H. Mechanisms of primary AI resistance in ER-positive HER2-negative breast cancer. *2013 ASCO Annual Mtg Proc (Post-Meeting Edition)* **31**(15, May 20 Sup):E11519 (2013).
18. Mukund S., et al. Inhibitory mechanism of an allosteric antibody targeting the glucagon receptor. *J Biol Chem* **288**(50):36168-78 (2013).
19. Ooi Y. S., et al. Genome-wide RNAi screen identifies novel host proteins required for alphavirus entry. *PLoS Pathog* **9**(12):e1003835 (2013).
20. Patel P. R., et al. Genomic Signature Predicts Resistance To Busulfan In AML Cell Lines. *Blood* **122**(21):3850 (2013).
21. Piccinni M. P., et al. Potential pathogenetic role of Th17, Th0, and Th2 cells in erosive and reticular oral lichen planus. *Oral Dis* (2013)

QuantiGene® 2.0 Bibliography 2011-2014

22. Plovanich M., *et al.* MICU2, a paralog of MICU1, resides within the mitochondrial uniporter complex to regulate calcium handling. *PLoS ONE* **8**(2):e55785 (2013).
23. Sahay G., *et al.* Efficiency of siRNA delivery by lipid nanoparticles is limited by endocytic recycling. *Nat Biotechnol* (2013).
24. Storey K. B. and Wu C. W. Stress response and adaptation: A new molecular toolkit for the 21st century. *Comp Biochem Physiol A Mol Integr Physiol* (2013).
25. Trabzuni D., *et al.* Fine-Mapping, Gene Expression and Splicing Analysis of the Disease Associated LRRK2 Locus. *PLoS ONE* **8**(8):e70724 (2013).
26. Zhang M., *et al.* Alteration of circulating mitochondrial DNA concentration after irradiation. *Adv Exp Med Biol* **765**(371-7) (2013).
27. Zurek O. W., *et al.* The Role of Innate Immunity in Promoting SaeR/S-Mediated Virulence in Staphylococcus aureus. *J Innate Immun* (2013).

2012

1. Burgess A., *et al.* Focused ultrasound for targeted delivery of siRNA and efficient knockdown of Htt expression. *J Control Release* (2012).
2. Cheng X. & Klasseen C. D. Hormonal and chemical regulation of paraoxonases in mice. *J Pharmacol Exp Ther* **342**(3):688-95 (2012).
3. Cheng Z., *et al.* Towards Active Screening of Malaria for Elimination: A Novel, Sensitive Assay for High Throughput Molecular Detection of Plasmodia. *J Clin Microbiol* (2012).
4. Conforto T. L., *et al.* Impact of CUX2 on the Female Mouse Liver Transcriptome: Activation of Female-biased Genes and Repression of Male-biased Genes. *Mol Cell Biol* (2012).
5. Cui J. Y., *et al.* Bile acids via FXR initiate the expression of major transporters involved in the enterohepatic circulation of bile acids in newborn mice. *Am J Physiol Gastrointest Liver Physiol* (2012).
6. Desai A., *et al.* META060 attenuates TNF-alpha-activated inflammation, endothelial-monocyte interactions, and matrix metalloproteinase-9 expression, and inhibits NF-kappaB and AP-1 in THP-1 monocytes. *Atherosclerosis* **223**(1):130-6 (2012).
7. Dunmore R., *et al.* An assessment of epithelial and mesenchymal phenotypes in experimental and clinical pulmonary fibrosis. *ISRN Pulmonology* **Volume 2012** (2012).
8. Foster D. J., *et al.* Comprehensive evaluation of canonical versus Dicer-substrate siRNA in vitro and in vivo. *Rna* **18**(3):557-68 (2012).
9. Hummon A. B., *et al.* Systems-wide RNAi analysis of CASP8AP2/FLASH shows transcriptional deregulation of the replication-dependent histone genes and extensive effects on the transcriptome of colorectal cancer cells. *Molecular Cancer* **11**(1) (2012).
10. Jiao X., *et al.* Discovery and optimization of a series of liver X receptor antagonists. *Bioorg Med Chem Lett* **22**(18):5966-70 (2012).

QuantiGene® 2.0 Bibliography 2011-2014

11. Kim H. R., *et al.* Fibroblast Growth Factor Receptor 1 Gene Amplification Is Associated With Poor Survival and Cigarette Smoking Dosage in Patients With Resected Squamous Cell Lung Cancer. *J Clin Oncol* (2012).
12. Koth C. M., *et al.* Molecular basis for negative regulation of the glucagon receptor. *Proc Natl Acad Sci USA* **109**(36):14393-8 (2012).
13. Li X., *et al.* [Angiotensin (1-7) inhibits angiotensin II-stimulated expression of connective tissue growth factor mRNA in hepatic stellate cells.] *Zhonghua Gan Zang Bing Za Zhi* **20**(6):458-62 (2012).
14. Linton K., *et al.* Microarray gene expression analysis of fixed archival tissue permits molecular classification and identification of potential therapeutic targets in diffuse large B-cell lymphoma. *J Mol Diagn* **14**(3):223-32 (2012).
15. Meng X. L., *et al.* Low expression of stathmin in tumor predicts high response to neoadjuvant chemotherapy with docetaxel-containing regimens in locally advanced breast cancer. *Genet Test Mol Biomarkers* (2012).
16. Metzgera D. C., *et al.* Normalizing for biology: Accounting for technical and biological variation in levels of reference gene and insulin-like growth factor 1 (igf1) transcripts in fish livers. *Comp Biochem and Physiol* (2012).
17. Mounier A., *et al.* Genetic complexity in the BIN1 locus. *Journal of the Alzheimers Association* **8**(1, Supp.):P663-4 (2012).
18. Muller P., Pugazhendhi D., Ziedler M. P. Modulation of human JAK-STAT pathway signaling by functionally conserved regulators. *JAK-STAT* **1**(1):1-11 (2012).
19. Patani R., *et al.* Investigating the utility of human embryonic stem cell-derived neurons to model ageing and neurodegenerative disease using whole-genome gene expression and splicing analysis. *J Neurochem* **122**(4):738-51 (2012).
20. Pettersen J. C., *et al.* The PPARalpha agonists fenofibrate and CP-778875 cause increased beta-oxidation, leading to oxidative injury in skeletal and cardiac muscle in the rat. *Toxicol Pathol* (2012).
21. Phan J. H., Quo, C. F. & Want, M. D. Cardiovascular genomics: a biomarker identification pipeline. *IEEE Trans Inf Technol Biomed* **16**(5):809-22 (2012).
22. Qi J., *et al.* The use of stable isotope-labeled glycerol and oleic acid to differentiate the hepatic functions of diacylglycerol acyltransferase-1 and -2. *J Lipid Res* (2012).
23. Querbes W., *et al.* Treatment of erythropoietin deficiency in mice with systemically administered siRNA. *Blood* **120**(9):1916-22 (2012).
24. Ruangsiriluk W., *et al.* Silencing of enzymes involved in ceramide biosynthesis causes distinct global alterations of lipid homeostasis and gene expression. *J Lipid Res* (2012).
25. Sarveswaran J., *et al.* Cytokine gene expression profiling identifies distinct patterns in severe sepsis. *Nucleic Acid Ther* **22**(5):344-59 (2012).
26. Schneider B., *et al.* Targeted siRNA delivery and mRNA knockdown mediated by bispecific digoxigenin-binding antibodies. *Mole Ther Nucleic Acids* **1**(9):e46 (2012).
27. Schwartz J. R., *et al.* A facile, branched DNA assay to quantitatively measure glucocorticoid receptor auto-regulation in T-cell acute lymphoblastic leukemia. *Chin J Cancer* **31**(8):381-91 (2012).

QuantiGene® 2.0 Bibliography 2011-2014

28. Sciabola S., *et al.* Improved nucleic acid descriptors for siRNA efficacy prediction. *Nucleic Acids Res* (2012).
29. Shahnazari M., *et al.* Bone turnover markers in peripheral blood and marrow plasma reflect trabecular bone loss but not endocortical expansion in aging mice. *Bone* **50**(3):628-37 (2012).
30. Siah A., Johnson, G. & Berthe, F. C. Single Plex Branched DNA as an Alternative Assay to Quantify P53-Like mRNA Levels in Softshell Clam *Mya arenaria* Hemocytes. *Journal of Shellfish Research* **31**(3):691-96 (2012).
31. Stanton R., *et al.* Chemical modification study of antisense gapmers. *Nucleic Acid Ther* **22**(5):344-59 (2012).
32. Tanguy M., *et al.* Functional and molecular responses in *Mytilus edulis* hemocytes exposed to bacteria, *Vibrio splendidus*. *Dev Comp Immunol* (2012).
33. Trabzuni D., *et al.* MAPT expression and splicing is differentially regulated by brain region: relation to genotype and implication for tauopathies. *Hum Mol Genet* **21**(18):4094-103 (2012).
34. Wen X., *et al.* Regulation of hepatic phase-II metabolism in pregnant mice. *J Pharmacol Exp Ther* (2012).
35. Zhang L., *et al.* Radiation-induced elevation of plasma DNA in mice is associated with genomic background. *Adv Exp Med Biol* 737:147-53 (2012).
36. Zhang Y., *et al.* Dysfunction of organic anion transporting polypeptide 1a1 alters intestinal bacteria and bile Acid metabolism in mice. *PLoS ONE* **7**(3):e34522 (2012).
37. Zhang Y., *et al.* Transcription factor-mediated regulation of carboxylesterase enzymes in livers of mice. *Drug Metab Dispos* (2012).

2011

1. Babij C., *et al.* STK33 kinase activity is nonessential in KRAS-dependent cancer cells. *Cancer Res* (2011).
2. Baughman J. M., *et al.* Integrative genomics identifies MCU as an essential component of the mitochondrial calcium uniporter. *Nature* (2011).
3. Beare P. A., *et al.* Dot/Icm Type IVB secretion system requirements for *Coxiella burnetii* growth in human macrophages. *MBio* **2**(4) (2011).
4. Bergemann T. L., Wilson J. Proportion statistics to detect differentially expressed genes: a comparison with log-ratio statistics. *BMC Bioinformatics* **12**(1):228 (2011).
5. Brown M. L., *et al.* Discovery of amide replacements that improve activity and metabolic stability of a bis-amide smoothed antagonist hit. *Bioorg Med Chem Lett* **21**(18):5206-9 (2011).
6. Cao G., *et al.* Evacetrapib is a novel, potent and selective inhibitor of cholesteryl ester transfer protein that elevates high-density lipoprotein cholesterol without inducing aldosterone or increasing blood pressure. *Journal of Lipid Research* (2011).

QuantiGene® 2.0 Bibliography 2011-2014

7. Cao Y. C., *et al.* Quantum dots high fluorescent signal amplification immunoassay using branched DNA and peptide nucleic acid conjugated antibody. *Analyst* (2011).
8. Chae B. J., *et al.* Measurement of ER and PR status in breast cancer using the QuantiGene2.0 assay. *Pathology* **43**(3):248-53 (2011).
9. Crombez L., *et al.* A non-covalent peptide-based strategy for ex vivo and in vivo oligonucleotide delivery. *Methods Mol Biol* **764**:59-73 (2011).
10. Hinfray N. *et al.* Characterization of testicular expression of P450 17alpha-hydroxylase, 17,20-lyase in zebrafish and its perturbation by the pharmaceutical fungicide clotrimazole. *Gen Comp Endocrinol* (2011).
11. Kadota K., *et al.* Evaluating methods for ranking differentially expressed genes applied to MicroArray Quality Control data. *BMC Bioinformatics* **12**(1):227 (2011).
12. Lapierre J., *et al.* Potent and systematic RNAi mediated silencing with single oligonucleotide compounds. *Rna* **17**(6):1032-7 (2011).
13. Li M., *et al.* Mutant hypoxia inducible factor-1alpha improves angiogenesis and tissue perfusion in ischemic rabbit skeletal muscle. *Microvasc Res* **81**(1):26-33 (2011).
14. Liao L. H., *et al.* Single-nucleotide polymorphisms and haplotype of CYP2E1 gene associated with systemic lupus erythematosus in Chinese population. *Arthritis Res Ther* **13**(1):R11 (2011).
15. Lin Y. Z., *et al.* The pathogenic and vaccine strains of equine infectious anemia virus differentially induce cytokine and chemokine expression and apoptosis in macrophages. *Virus Res* (2011).
16. Lu B., *et al.* The role of the transcription factor SIM2 in prostate cancer. *PLoS ONE* **6**(12):e28837 (2011).
17. Lu H., *et al.* Nrf2 protects against 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)-induced oxidative injury and steatohepatitis. *Toxicol Appl Pharmacol* (2011).
18. Martin S. E., *et al.* RNAi screening identifies TAK1 as a potential target for the enhanced efficacy of topoisomerase inhibitors. *Curr Cancer Drug Targets*(2011).
19. Mital J., *et al.* A role for the Src-family kinase Fyn in sphingolipid acquisition by chlamydiae. *Infect Immun* (2011).
20. Murray L. A., *et al.* TGF-beta driven lung fibrosis is macrophage dependent and blocked by Serum amyloid P. *Int J Biochem Cell Biol* **43**(1):154-62 (2011).
21. Polach K. J., *et al.* Delivery of siRNA to the Mouse Lung via a Functionalized Lipopolyamine. *Mol Ther* (2011).
22. Selvaduray K. R., *et al.* Palm tocotrienols decrease levels of pro-angiogenic markers in human umbilical vein endothelial cells (HUVEC) and murine mammary cancer cells. *Genes Nutr* (2011).
23. Torres J. Z., *et al.* The STARD9/Kif16a kinesin associates with mitotic microtubules and regulates spindle pole assembly. *Cell* **147**(6):1309-23 (2011).
24. Trabzuni D., *et al.* Quality control parameters on a large dataset of regionally-dissected human control brains for whole genome expression studies. *J Neurochem* (2011).

QuantiGene® 2.0 Bibliography 2011-2014

25. Voth D. E., *et al.* The *Coxiella burnetii* cryptic plasmid is enriched in genes encoding type IV secretion system substrates. *J Bacteriol* **193**(7):1493-503 (2011).
26. Zheng W., Chung L. M., Zhao H. Bias detection and correction in RNA-Sequencing data. *BMC Bioinformatics* **12**(1):290 (2011).